

Historical Specification

To find historical specifications for discontinued equipment, select the product category, model number and first year of production. For additional information, visit the [service and maintenance](#) section or contact your [local dealer](#).

Family	Model	First year of production
Compact Excavators	Bobcat 324	2010

Standard	Optional	Not Applicable
----------	----------	----------------

Units	US
-------	----

Engine

	Bobcat 324
Emissions Tier (EPA)	Tier 4
Engine Fuel	Diesel
Maximum Governed RPM	2,500 rpm
Horsepower	13.9 hp
Turbocharged Engine	

Performance

Operating Weight	3,571 lb
Weight Class	1.5 t
Travel Speed - High	2.5 mph
Travel Speed - Low	1.5 mph
Arm Digging Force	1,778 lbf
Bucket Digging Force	3,620 lbf
Rated Lift Capacity	1032 lb
Lift Radius	118 in
Boom Swing - Left	80°
Boom Swing - Right	60°
Maximum Dig Depth	8.5 ft
Max Dump Height	8.7 ft
Maximum Reach at Ground Level	14 ft

Capacities

Fuel Tank	6.3 gal
-----------	---------

Hydraulic System

Auxiliary Std Flow	7.9 gal/min
Auxiliary Pressure	3,350 psi

Dimension

Length	153.7 in
Overall Length in Travel Position	153.7 in
Width	38.6 in
Height	85.5 in
Height with Operator Cab	85.5 in

Features

Air Conditioning	
Cab Enclosure	
Cab Heater	
Heater Air Conditioning	
Radio	
Tail Swing Type	Conventional
Engine Shutdown	
Auxiliary Hydraulics	
Secondary Auxiliary Hydraulics	
Quick Tach System	
Rubber Track	
Angle Blade	

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.